

INTERIOR, TRUNK, COURTESY, UNDER HOOD, INSTRUMENT, LICENSE, AND SIDE MARKER LAMPS
LAMPES D'ACCUEIL, DE COFFRE, LISEUSES, SOUS CAPOT, TABLEAU DE BORD, PLAQUE MINÉRALOGIQUE ET INDICATEURS LATÉRAUX
LÁMPARAS DE INTERIORES, COFRE, CORTESÍA, BAJO EL CAPÓ, INSTRUMENTOS, LICENCIA Y MARCADOR LATERAL

description description descripción	characteristic caractéristiques características	volts volts voltios	watts watts vatios	packaging emballage embalaje	fig. fig. fig.	order code code de commande cód. de pedidos	upc upc upc	velocity vitesse velocidad
53 instrument								
BASE CULOT: min bayonet (BA9s)								D
53/BP2	standard	14.4	1.73	2/6/48 blister	67	12333	043168962094	
53	standard	14.4	1.73	10/50 tray		25550	043168255509	
53 BULK	standard	14.4	1.73	4000 bulk		25552		
55 instrument								
BASE CULOT: min bayonet (BA9s)								D
55/BP2	standard	7	2.87	2/6/48 blister	67	00762	043168007627	
55	standard	7	2.87	10/50 tray		25576	043168963008	
57 instrument, sidemarker								
BASE CULOT: min bayonet (BA9s)								D
57/BP2	standard	14	3.36	2/6/48 blister	67	23218	043168232180	
57	standard	14	3.36	10/50 tray		25591	043168255912	
63 license								
BASE CULOT: SC bayonet (BA15s)								D
63/BP2	standard	7	4.41	2/6/48 blister	68	12321	043168961011	
67 license								
BASE CULOT: SC bayonet (BA15s)								A
67/BP2	standard	13.5	7.97	2/6/48 blister	68	12324	043168962100	
67	standard	13.5	7.97	10/50 tray		25652	043168256520	
67 BULK	standard	13.5	7.97	1000 bulk		25654		
67 NH/BP2	NIGHTHAWK®	13.5	7.97	2/6/48 blister		71895	043168718950	
70 instrument								
BASE CULOT: wedge (W2.1 x 4.9d)								C
70	standard	14	2.1	10/50 tray	66	43606	043168436069	
73 instrument								
BASE CULOT: wedge (W2.1 x 4.9d)								C
73/BP2	standard	14	1.12	2/6/48 blister	66	23015	043168230155	
73 PBF BULK	standard	14	1.12	4000 bulk		28770		



fig. 68

INTERIOR, TRUNK, COURTESY, UNDER HOOD, INSTRUMENT, LICENSE, AND SIDE MARKER LAMPS
LAMPES D'ACCUEIL, DE COFFRE, LISEUSES, SOUS CAPOT, TABLEAU DE BORD, PLAQUE MINÉRALOGIQUE ET INDICATEURS LATÉRAUX
LÁMPARAS DE INTERIORES, COFRE, CORTESÍA, BAJO EL CAPÓ, INSTRUMENTOS, LICENCIA Y MARCADOR LATERAL

description description descripción	characteristic caractéristiques características	volts volts voltios	watts watts vatios	packaging emballage embalaje	fig. fig. fig.	order code code de commande cód. de pedidos	upc upc upc	velocity vitesse velocidad
74 instrument, courtesy								
BASE CULOT: wedge (W2.1 x 4.9d)								B
74/BP2	standard	14	1.4	2/6/48 blister	69	21029	043168210294	
74	standard	14	1.4	10/50 tray		38457	043168962780	
74 BULK	standard	14	1.4	4000 bulk		38458		
81 cargo								
BASE CULOT: SC bayonet (BA15s)								D
81/BP2	standard	6.5	1.02	2/6/48 blister	70	00763	043168007634	
81	standard	6.5	1.02	10/50 tray		25736	043168963565	
89 trunk, underhood								
BASE CULOT: SC bayonet (BA15s)								C
89/BP2	standard	13	7.54	2/6/48 blister	70	12363	043168961028	
89	standard	13	7.54	10/50 tray		25778	043168257787	
89LL/BP2	long life	13	7.54	2/6/48 blister		47797	043168477970	
90 trunk, marine								
BASE CULOT: DC bayonet (BA15d)								D
90/BP2	standard	13	7.54	2/6/48 blister	71	12364	043168961035	
90	standard	13	7.54	10/50 tray		25794	043168962797	
90 BULK	standard			1000 bulk		25796		
93 underhood, backup								
BASE CULOT: SC bayonet (BA15s)								D
93/BP2	standard	12.8	13.31	2/6/48 blister	72	23217	043168232173	
93	standard	12.8	13.31	10/50 tray		25811	043168963015	
93 BULK	standard	12.8	13.31	500 bulk		17461		
93 NH/BP2	NIGHTHAWK®	12.8	13.31	2/6/48 blister		71904	043168719049	
94 courtesy, backup								
BASE CULOT: DC bayonet (BA15d)								D
94/BP2	standard	12.8	13.31	2/6/48 blister	73	00764	043168007641	
94	standard	12.8	13.31	10/50 tray		25829	043168963497	
94 BULK	standard	12.8	13.31	500 bulk		25831		



fig. 69



fig. 70



fig. 71



fig. 72



fig. 73

INTERIOR, TRUNK, COURTESY, UNDER HOOD, INSTRUMENT, LICENSE, AND SIDE MARKER LAMPS
LAMPES D'ACCUEIL, DE COFFRE, LISEUSES, SOUS CAPOT, TABLEAU DE BORD, PLAQUE MINÉRALOGIQUE ET INDICATEURS LATÉRAUX
LÁMPARAS DE INTERIORES, COFRE, CORTESÍA, BAJO EL CAPÓ, INSTRUMENTOS, LICENCIA Y MARCADOR LATERAL

description description descripción	characteristic caractéristiques características	volts volts voltios	watts watts vatios	packaging emballage embalaje	fig. fig. fig.	order code code de commande cód. de pedidos	upc upc upc	velocity vitesse velocidad
97 license, courtesy								
BASE CULOT: SC bayonet (BA15s)								B
97/BP2	standard	13.5	9.32	2/6/48 blister	70	12322	043168961042	
97	standard	13.5	9.32	10/50 tray		25836	043168258364	
97 BULK	standard	13.5	9.32	1000 bulk		25838		
98 underhood, courtesy								
BASE CULOT: SC bayonet (BA15s)								C
98	standard	13	8.06	10/50 tray	70	16287	043168162876	
105 underhood								
BASE CULOT: SC bayonet (BA15s)								C
105	standard	12.8	12.8	10/50 tray	74	36147	043168963275	
158 instrument								
BASE CULOT: wedge (W2.1 x 9.5d)								C
158	standard	14	3.36	10/50 tray	75	25931	043168962834	
161 instrument								
BASE CULOT: wedge (W2.1 x 9.5d)								C
161/BP2	standard	14	2.66	2/6/48 blister	75	23016	043168230162	
161	standard	14	2.66	10/50 tray		25956	043168963077	
161-Q BULK	standard	14	2.66	4000 bulk		16489		
161 NH/BP2	NIGHTHAWK®	14	2.66	2/6/48 blister		71902	043168719025	
168 courtesy, license								
BASE CULOT: wedge (W2.1 x 9.5d)								B
168/BP2	standard	14	4.9	2/6/48 blister	75	12327	043168961165	
168	standard	14	4.9	10/50 tray		25962	043168961691	
168 PBF BULK	standard	14	4.9	4000 bulk		28757		
168LL/BP2	long life	14	4.9	2/6/48 blister		47827	043168478274	
168NH/BP2	NIGHTHAWK®	14	4.9	2/6/48 blister		89239	043168892391	



fig. 74



fig. 75

INTERIOR, TRUNK, COURTESY, UNDER HOOD, INSTRUMENT, LICENSE, AND SIDE MARKER LAMPS
LAMPES D'ACCUEIL, DE COFFRE, LISEUSES, SOUS CAPOT, TABLEAU DE BORD, PLAQUE MINÉRALOGIQUE ET INDICATEURS LATÉRAUX
LÁMPARAS DE INTERIORES, COFRE, CORTESÍA, BAJO EL CAPÓ, INSTRUMENTOS, LICENCIA Y MARCADOR LATERAL

description description descripción	characteristic caractéristiques características	volts volts voltios	watts watts vatios	packaging emballage embalaje	fig. fig. fig.	order code code de commande cód. de pedidos	upc upc upc	velocity vitesse velocidad
---	---	---------------------------	--------------------------	------------------------------------	----------------------	---	-------------------	----------------------------------



fig. 76

193 | sidemarker

BASE CULOT: wedge (W2.1 x 9.5d)								B
193	standard	14	4.62	10/50 tray	76	19553	043168962957	

193E1 | sealed sidemarker

BASE CULOT: wire terminal								E
193E-1/BULK	wire leads	14	4.62	4000 bulk		11807		

194 | instrument, license

BASE CULOT: wedge (W2.1 x 9.5d)								A
194/BP2	standard	14	3.78	2/6/48 blister	76	12328	043168961059	
194	standard	14	3.78	10/50 tray		25965	043168259651	
194 PBF BULK	standard	14	3.78	4000 bulk		28758		
194LL/BP2	long life	14	3.78	2/6/48 blister		25832	043168258326	
194NH/BP2	NIGHTHAWK®	14	3.78	2/6/48 blister		89240	043168892407	



fig. 77

194B | instrument

BASE CULOT: wedge (W2.1 x 9.5d)								C
194B/BP2	blue	14	3.78	2/6/48 blister	77	12356	043168960472	



fig. 78

194G | instrument

BASE CULOT: wedge (W2.1 x 9.5d)								C
194G/BP2	green	14	3.78	2/6/48 blister	78	12357	043168960465	

194R | instrument

BASE CULOT: wedge (W2.1 x 9.5d)								C
194R/BP2	red	14	3.78	2/6/48 blister	79	12355	043168960458	



fig. 79

194NA | front sidemarker

BASE CULOT: wedge (W2.1 x 9.5d)								A
194NA/BP2	amber bulb	14	3.78	2/6/48 blister	80	12319	043168960441	
194NA	amber bulb	14	3.78	10/50 tray		44859	043168962902	
194NA/LL/BP2	long life	14	3.78	2/6/48 blister		47794	043168477949	
194NA NH/BP2	NIGHTHAWK®	14	3.78	2/6/48 blister		71894	043168718943	



fig. 80

INTERIOR, TRUNK, COURTESY, UNDER HOOD, INSTRUMENT, LICENSE, AND SIDE MARKER LAMPS
LAMPES D'ACCUEIL, DE COFFRE, LISEUSES, SOUS CAPOT, TABLEAU DE BORD, PLAQUE MINÉRALOGIQUE ET INDICATEURS LATÉRAUX
LÁMPARAS DE INTERIORES, COFRE, CORTESÍA, BAJO EL CAPÓ, INSTRUMENTOS, LICENCIA Y MARCADOR LATERAL

description description descripción	characteristic caractéristiques características	volts volts voltios	watts watts vatios	packaging emballage embalaje	fig. fig. fig.	order code code de commande cód. de pedidos	upc upc upc	velocity vitesse velocidad
211-2 cargo, trunk, dome								
BASE CULOT: miniature cap								B
211-2/BP2	standard	12.8	12.42	2/6/48 blister	81	12673	043168961066	
211-2	standard	12.8	12.42	10/50 tray		39224	043168392242	
211-2 BULK	standard	12.8	12.42	2520 bulk		11803		
211-2 NH/BP2	NIGHTHAWK®	12.8	12.42	2/6/48 blister		71900	043168719001	
212-2 courtesy, trunk								
BASE CULOT: miniature cap								D
212-2/BP2	standard	13.5	10	2/6/48 blister	81	23220	043168232203	
212-2 BULK	standard	13.5	10	2520 bulk		11806		
214-2 courtesy								
BASE CULOT: miniature cap								C
214-2	standard	13.5	7.02	10/50 tray	81	39356	043168963985	
214-2 BULK	standard	13.5	7.02	2520 bulk		11804		
558 instrument								
BASE CULOT: wedge (W2.1 x 9.5d)								D
558	lens end	13	4.29	10/50 tray	76	38269	043168963824	
561 underhood								
BASE CULOT: rigid loop								B
561/BP2	standard	12.8	12.42	2/6/48 blister	82	12358	043168961578	
561	standard	12.8	12.42	10/50 tray		39746	043168962698	
561 BULK	standard	12.8	12.42	2520 bulk		11820		
562 courtesy								
BASE CULOT: rigid loop								D
562/BP2	standard	13.5	10	2/6/48 blister	82	23019	043168230193	
562 BULK	standard	13.5	10	2520 bulk		11822		
563 courtesy								
BASE CULOT: rigid loop								E
563 BULK	standard	13.5	7.02	1000 bulk	82	11825		



INTERIOR, TRUNK, COURTESY, UNDER HOOD, INSTRUMENT, LICENSE, AND SIDE MARKER LAMPS
LAMPES D'ACCUEIL, DE COFFRE, LISEUSES, SOUS CAPOT, TABLEAU DE BORD, PLAQUE MINÉRALOGIQUE ET INDICATEURS LATÉRAUX
LÁMPARAS DE INTERIORES, COFRE, CORTESÍA, BAJO EL CAPÓ, INSTRUMENTOS, LICENCIA Y MARCADOR LATERAL

description description descripción	characteristic caractéristiques características	volts volts voltios	watts watts vatios	packaging emballage embalaje	fig. fig. fig.	order code code de commande cód. de pedidos	upc upc upc	velocity vitesse velocidad
631 courtesy								
BASE CULOT: SC bayonet (BA15s)								D
631	standard	14	8.82	10/50 tray	83	26570	043168963305	
882 instrument								
BASE CULOT: PC socket								D
882	halogen	12.8	4.48	1/10 tray	84	13158	043168963732	
882 BULK	halogen	12.8	4.48	1000 bulk		13161		
882X instrument								
BASE CULOT: 2-pin (G4)								E
882-X UNIT	halogen	12.8	4.48	1/10 tray	85	18167	043168181679	
882-X BULK	halogen	12.8	4.48	500 bulk		16772		
889 high mount stop								
BASE CULOT: rt angle (PGJ13)								C
889/BP	halogen	12.8	26.88	1/6/48 blister	86	12336	043168960397	
889 BULK	halogen	12.8	26.88	540 bulk		20910		
890 high mount stop								
BASE CULOT: axial (PG13)								C
890/BP	halogen	12.8	26.88	1/6/48 blister	87	12337	043168960403	
890 BULK	halogen	12.8	26.88	540 bulk		20911		
891 high mount stop								
BASE CULOT: 2-pin (G4)								C
891/BP	halogen	12.8	8.06	1/6/48 blister	85	12308	043168960533	
891	halogen	12.8	8.06	1/10 tray		15246	043168963138	
891 BULK	halogen	12.8	8.06	500 bulk		15248		
891Q BULK	halogen	12.8	8.06	500 bulk		49879		
892 backup								
BASE CULOT: axial (PG13)								D
892	halogen	12.8	16	1/10 tray	87	16481	043168963589	
892 BULK	halogen	12.8	16	540 bulk		20912		



fig. 83



fig. 84



fig. 85



fig. 86



fig. 87

INTERIOR, TRUNK, COURTESY, UNDER HOOD, INSTRUMENT, LICENSE, AND SIDE MARKER LAMPS
LAMPES D'ACCUEIL, DE COFFRE, LISEUSES, SOUS CAPOT, TABLEAU DE BORD, PLAQUE MINÉRALOGIQUE ET INDICATEURS LATÉRAUX
LÁMPARAS DE INTERIORES, COFRE, CORTESÍA, BAJO EL CAPÓ, INSTRUMENTOS, LICENCIA Y MARCADOR LATERAL

description description descripción	characteristic caractéristiques características	volts volts voltios	watts watts vatios	packaging emballage embalaje	fig. fig. fig.	order code code de commande cód. de pedidos	upc upc upc	velocity vitesse velocidad
901 landscape								
BASE CULOT: wedge (W2.1 x 9.5d)								D
901/BP2	standard	12.8	4	2/6/48 blister	88	14273	043168142731	
901-BULK	standard	12.8	4	1000 bulk		14007		
904 map, sidemarker								
BASE CULOT: wedge (W2.1 x 9.5d)								B
904/BP2	standard	13.5	9.32	2/6/48 blister	88	23024	043168230247	
904	standard	13.5	9.32	10/50 tray		40462	043168963435	
904 BULK	standard	13.5	9.32	1000 bulk		40463		
906 underhood, cargo								
BASE CULOT: wedge (W2.1 x 9.5d)								B
906/BP2	standard	13	8.97	2/6/48 blister	88	12366	043168960489	
906	standard	13	8.97	10/50 tray		40289	043168962728	
906 PBF BULK	standard	13	8.97	1000 bulk		28763		
912 underhood, courtesy								
BASE CULOT: wedge (W2.1 x 9.5d)								A
912/BP2	standard	12.8	12.8	2/6/48 blister	88	12365	043168961585	
912	standard	12.8	12.8	10/50 tray		40504	043168962681	
912 PBF BULK	standard	12.8	12.8	1000 bulk		28767		
912NH/BP2	NIGHTHAWK®	12.8	12.8	2/6/48 blister		89242	043168892421	
916 dome, high mount stop								
BASE CULOT: wedge (W2.1 x 9.5d)								D
916/BP2	standard	13.5	7.29	2/6/48 blister	88	23025	043168230254	
916 PBF BULK	standard	13.5	7.29	1000 bulk		28768		
916NA front sidemarker								
BASE CULOT: wedge (W2.1 x 9.5d)								D
916NA/BP2	amber bulb	13.5	7.29	2/6/48 blister	89	23026	043168230261	
916NA	amber bulb	13.5	7.29	10/50 tray		21860	043168962858	



fig. 88



fig. 89

INTERIOR, TRUNK, COURTESY, UNDER HOOD, INSTRUMENT, LICENSE, AND SIDE MARKER LAMPS
LAMPES D'ACCUEIL, DE COFFRE, LISEUSES, SOUS CAPOT, TABLEAU DE BORD, PLAQUE MINÉRALOGIQUE ET INDICATEURS LATÉRAUX
LÁMPARAS DE INTERIORES, COFRE, CORTESÍA, BAJO EL CAPÓ, INSTRUMENTOS, LICENCIA Y MARCADOR LATERAL



fig. 90

description description descripción	characteristic caractéristiques características	volts volts voltios	watts watts vatios	packaging emballage embalaje	fig. fig. fig.	order code code de commande cód. de pedidos	upc upc upc	velocity vitesse velocidad
918 landscape								
BASE CULOT: wedge (W2.1 x 9.5d)								C
918/BP2	standard	12.8	7.17	2/6/30 blister	90	40179	043168401791	
918	standard	12.8	7.17	10/50 tray		17837	043168178372	
921 cornering, stop								
BASE CULOT: wedge (W2.1 x 9.5d)								A
921/BP2	standard	12.8	17.92	2/6/48 blister	90	12307	043168961592	
921	standard	12.8	17.92	10/50 tray		43374	043168962759	
921PBF BULK	standard	12.8	17.92	1000 bulk		45752		
921NH/BP2	NIGHTHAWK®	12.8	17.92	2/6/48 blister		89238	043168892384	
922 high mount stop								
BASE CULOT: wedge (W2.1 x 9.5d)								B
922/BP2	standard	12.8	12.54	2/6/48 blister	90	23027	043168230278	
922	standard	12.8	12.54	10/50 tray		13274	043168963350	
922 BULK	standard	12.8	12.54	1000 bulk		13275		
922 NH/BP2	NIGHTHAWK®	12.8	12.54	2/6/48 blister		71903	043168719032	
923 landscape								
BASE CULOT: wedge (W2.1 x 9.5d)								C
923/BP2	standard	12.8	11.65	2/6/30 blister	90	40180	043168401807	
1003 license, underhood								
BASE CULOT: SC bayonet (BA15s)								B
1003/BP2	standard	12.8	12.03	2/6/48 blister	91	12367	043168961073	
1003	standard	12.8	12.03	10/50 tray		26709	043168267090	
1003LL/BP2	long life	12.8	12.03	2/6/48 blister		47800	043168478007	
1003 NH/BP2	NIGHTHAWK®	12.8	12.03	2/6/48 blister		71899	043168718998	
1004 underhood								
BASE CULOT: DC bayonet (BA15d)								C
1004/BP2	standard	12.8	12.03	2/6/48 blister	92	12373	043168961080	
1004	standard	12.8	12.03	10/50 tray		26726	043168267267	
1004 BULK	standard	12.8	12.03	500 bulk		26728		



fig. 91



fig. 92

INTERIOR, TRUNK, COURTESY, UNDER HOOD, INSTRUMENT, LICENSE, AND SIDE MARKER LAMPS
LAMPES D'ACCUEIL, DE COFFRE, LISEUSES, SOUS CAPOT, TABLEAU DE BORD, PLAQUE MINÉRALOGIQUE ET INDICATEURS LATÉRAUX
LÁMPARAS DE INTERIORES, COFRE, CORTESÍA, BAJO EL CAPÓ, INSTRUMENTOS, LICENCIA Y MARCADOR LATERAL

description description descripción	characteristic caractéristiques características	volts volts voltios	watts watts vatios	packaging emballage embalaje	fig. fig. fig.	order code code de commande cód. de pedidos	upc upc upc	velocity vitesse velocidad
1129 backup								
BASE CULOT: SC bayonet (BA15s)								C
1129/BP2	standard	6.4	16.8	2/6/48 blister	93	00768	043168007689	
1129	standard	6.4	16.8	10/50 tray		26872	043168963046	
1155 turn signal								
BASE CULOT: SC bayonet (BA15s)								C
1155	standard	13.5	7.97	10/50 tray	94	26955	043168962971	
1445 instrument								
BASE CULOT: min bayonet (BA9s)								C
1445/BP2	standard	14.4	1.9	2/6/48 blister	95	12329	043168961141	
1445	standard	14.4	1.9	10/50 tray		27207	043168962827	
1445 BULK	standard	14.4	1.9	4000 bulk		27209		
1449 non auto								
BASE CULOT: miniature screw								C
1449/BP2	standard	14	0.2	2/6/48 blister	96	00766	043168007665	
1449	standard	14	0.2	10/50 tray		27252	043168962896	
1815 instrument								
BASE CULOT: min bayonet (BA9s)								D
1815/BP2	standard	14	2.8	2/6/48 blister	97	00758	043168007580	
1815	standard	14	2.8	10/50 tray		27677	043168963152	
1816 instrument								
BASE CULOT: min bayonet (BA9s)								D
1816/BP2	standard	13	4.29	2/6/48 blister	97	12359	043168960496	
1816	standard	13	4.29	10/50 tray		27688	043168276887	
1891 instrument								
BASE CULOT: min bayonet (BA9s)								B
1891/BP2	standard	14	3.36	2/6/48 blister	97	12331	043168962124	
1891	standard	14	3.36	10/50 tray		27917	043168962773	



fig. 93



fig. 94



fig. 95



fig. 96



fig. 97

INTERIOR, TRUNK, COURTESY, UNDER HOOD, INSTRUMENT, LICENSE, AND SIDE MARKER LAMPS
LAMPES D'ACCUEIL, DE COFFRE, LISEUSES, SOUS CAPOT, TABLEAU DE BORD, PLAQUE MINÉRALOGIQUE ET INDICATEURS LATÉRAUX
LÁMPARAS DE INTERIORES, COFRE, CORTESÍA, BAJO EL CAPÓ, INSTRUMENTOS, LICENCIA Y MARCADOR LATERAL

description description descripción	characteristic caractéristiques características	volts volts voltios	watts watts vatios	packaging emballage embalaje	fig. fig. fig.	order code code de commande cód. de pedidos	upc upc upc	velocity vitesse velocidad
1892 instrument								
BASE CULOT: min bayonet (BA9s)								C
1892/BP2	standard	14.4	1.73	2/6/48 blister	98	00767	043168007672	
1892	standard	14.4	1.73	10/50 tray		27927	043168963206	
1893 instrument								
BASE CULOT: min bayonet (BA9s)								A
1893/BP2	standard	14	4.62	2/6/48 blister	98	12332	043168962131	
1893	standard	14	4.62	10/50 tray		27935	043168279352	
1893 BULK	standard	14	4.62	4000 bulk		27937		
1895 instrument, sidemarker								
BASE CULOT: min bayonet (BA9s)								B
1895/BP2	standard	14	3.78	2/6/48 blister	99	12330	043168961158	
1895	standard	14	3.78	10/50 tray		27945	043168279451	
1895 BULK	standard	14	3.78	4000 bulk		27948		
1895 NH/BP2	NIGHTHAWK®	14	3.78	2/6/48 blister		71896	043168718967	
2040 parking								
BASE CULOT: wedge (W2.1 x 9.5d)								C
2040/BP	halogen	12.8	8	1/6/48 blister	100	12326	043168960410	
2040	halogen	12.8	8	1/10 tray		19280	043168963145	
2286D sealed sidemarker								
BASE CULOT: wire terminal								E
2286D BULK	standard	14	4.9	1000 bulk		44964		
3652 high mount stop								
BASE CULOT: wedge (W2.1 x 9.5d)								C
3652/BP	standard	13.5	5	1/6/48 blister	101	25837	043168258371	
56110 reading								
BASE CULOT: min bayonet (BA9s)								D
56110/BP	halogen	13.2	24.16	1/6/48 blister	102	45591	043168455916	



fig. 98



fig. 99



fig. 100



fig. 101



fig. 102

INTERIOR, TRUNK, COURTESY, UNDER HOOD, INSTRUMENT, LICENSE, AND SIDE MARKER LAMPS
LAMPES D'ACCUEIL, DE COFFRE, LISEUSES, SOUS CAPOT, TABLEAU DE BORD, PLAQUE MINÉRALOGIQUE ET INDICATEURS LATÉRAUX
LÁMPARAS DE INTERIORES, COFRE, CORTESÍA, BAJO EL CAPÓ, INSTRUMENTOS, LICENCIA Y MARCADOR LATERAL

description description descripción	characteristic caractéristiques características	volts volts voltios	watts watts vatios	packaging emballage embalaje	fig. fig. fig.	order code code de commande cód. de pedidos	upc upc upc	velocity vitesse velocidad
58540 dome								
BASE CULOT: min bayonet (BA9s)								D
58540/BP	halogen	13.5	5	1/6/48 blister	102	47461	043168474610	
C5W license, dome								
BASE CULOT: SV8.5								C
C5W/BP2	eu festoon	13.5	5	2/6/48 blister	103	23312	043168233125	
DE3021 trunk, courtesy								
BASE CULOT: SV7								D
DE3021/BP2	asia festoon	14	0.96	2/6/48 blister	104	25323	043168253239	
DE3022 trunk, courtesy								
BASE CULOT: SV7								D
DE3022/BP2	asia festoon	13	4.94	2/6/48 blister	105	12353	043168961523	
DE3175 dome, courtesy								
BASE CULOT: SV8.5								B
DE3175/BP2	asia festoon	13	10	2/6/48 blister	103	12354	043168961530	
DE3175	asia festoon	13	10	10/50 tray		12084	043168962711	
DE3175 BULK	asia festoon	13	10	5000 bulk		28858		
DE3175NH/BP2	NIGHTHAWK®	13	10	2/6/48 blister		89245	043168892452	
DE3425 dome, courtesy								
BASE CULOT: SV8.5								D
DE 3425	asia festoon	13	10	1/10 tray	103	12085	043168963336	
DE7576 DIN72601K								
BASE CULOT: SV8.5								C
DE7576/BP2	eu festoon	13.5	10	2/6/48 blister	103	23324	043168233248	
PC161 instrument								
BASE CULOT: PC socket								E
PC161 BULK	standard	14	2.66	1000 bulk	105	23036		



fig. 103



fig. 104



fig. 105

INTERIOR, TRUNK, COURTESY, UNDER HOOD, INSTRUMENT, LICENSE, AND SIDE MARKER LAMPS
LAMPES D'ACCUEIL, DE COFFRE, LISEUSES, SOUS CAPOT, TABLEAU DE BORD, PLAQUE MINÉRALOGIQUE ET INDICATEURS LATÉRAUX
LÁMPARAS DE INTERIORES, COFRE, CORTESÍA, BAJO EL CAPÓ, INSTRUMENTOS, LICENCIA Y MARCADOR LATERAL

description description descripción	characteristic caractéristiques características	volts volts voltios	watts watts vatios	packaging emballage embalaje	fig. fig. fig.	order code code de commande cód. de pedidos	upc upc upc	velocity vitesse velocidad
---	---	---------------------------	--------------------------	------------------------------------	----------------------	---	-------------------	----------------------------------



PC168 instrument								
BASE CULOT: PC socket								C
PC168	standard	14	4.9	1/10 tray	106	27222	043168272223	
PC168 BULK	standard	14	4.9	1000 bulk		23037		



PC194 instrument								
BASE CULOT: PC socket								C
PC194	standard	14	3.78	1/10 tray	106	27221	043168272216	
PC 194 BULK	standard	14	3.78	1000 bulk		17459		

PR2 flashlight-2D cells								
BASE CULOT: SC miniature flange								C
PR2/BP2	standard	2.38	0.5	2/6/48 blister	107	12675	043168961172	

PR3 flashlight-3D cells								
BASE CULOT: SC miniature flange								D
PR3/BP2	standard	3.57	0.5	2/6/48 blister	107	12676	043168961189	

PR4 flashlight-2C cells								
BASE CULOT: SC miniature flange								D
PR4/BP2	standard	2.33	0.27	2/6/48 blister	107	12677	043168961394	

PR12 flashlight-5D cells								
BASE CULOT: SC miniature flange								D
PR12/BP2	standard	5.95	0.5	2/6/48 blister	107	12680	043168961387	

PR13 hand lantern-4F cells								
BASE CULOT: SC miniature flange								D
PR13/BP2	standard	4.75	0.5	2/6/48 blister	107	12681	043168961370	

KPR102 flashlight-2D cells								
BASE CULOT: SC miniature flange								D
KPR102/BP2	krypton	2.4	0.7	2/6/48 blister	107	22961	043168229616	

KPR113 flashlight-4D cells								
BASE CULOT: SC miniature flange								D
KPR113/BP2	krypton	4.75	0.5	2/6/48 blister	107	23153	043168231534	

INTERIOR, TRUNK, COURTESY, UNDER HOOD, INSTRUMENT, LICENSE, AND SIDE MARKER LAMPS
LAMPES D'ACCUEIL, DE COFFRE, LISEUSES, SOUS CAPOT, TABLEAU DE BORD, PLAQUE MINÉRALOGIQUE ET INDICATEURS LATÉRAUX
LÁMPARAS DE INTERIORES, COFRE, CORTESÍA, BAJO EL CAPÓ, INSTRUMENTOS, LICENCIA Y MARCADOR LATERAL

description description descripción	characteristic caractéristiques características	volts volts voltios	watts watts vatios	packaging emballage embalaje	fig. fig. fig.	order code code de commande cód. de pedidos	upc upc upc	velocity vitesse velocidad
KPR118 flashlight-6D cells								
BASE CULOT: SC miniature flange								D
KPR118/BP2	krypton	7.2	0.55	2/6/48 blister	107	23154	043168231541	
R5W license, parking								
BASE CULOT: SC bayonet (BA15s)								C
R5W/BP2	eu vehicles	13.5	5	2/6/48 blister	108	23314	043168233149	
R5W LL/BP2	long life	13.5	5	2/6/48 blister		23765	043168237659	
R5WLL BULK	long life	13.5	5	2000 bulk		30859		
R10W parking								
BASE CULOT: SC bayonet (BA15s)								D
R10W/BP2	eu vehicles	13.5	10	2/6/48 blister	108	23322	043168233224	
R10W LL BULK	long life	13.5	10	2000 bulk		35417		
T4W parking								
BASE CULOT: min bayonet (BA9s)								D
T4W/BP2	eu vehicles	13.4	4	2/6/48 blister	109	23318	043168233187	
W3W instrument								
BASE CULOT: wedge (W2.1 x 9.5d)								D
W3W/BP2	eu vehicles	13.5	3	2/6/48 blister	110	27562	043168275620	
W3W/BULK	eu vehicles	13.5	3	2000 bulk		35030		
W5W parking, license								
BASE CULOT: wedge (W2.1 x 9.5d)								B
W5W/BP2	eu vehicles	13.5	5	2/6/48 blister	110	27563	043168275637	
W5W PBF QH BULK	eu vehicles	13.5	5	2000 bulk		28759		
W16W stop								
BASE CULOT: wedge (W2.1 x 9.5d)								E
W16W PBF BULK	eu vehicles	13.5	19.44	1000 bulk	111	20280		
WY5W front sidemarker								
BASE CULOT: wedge (W2.1 x 9.5d)								E
WY5W BULK	amber bulb	13.5	5	1000 bulk	112	20279		



fig. 108



fig. 109



fig. 110



fig. 111



fig. 112